

Wanlei Building Paint CO., LTD

One-stop Solution Of Building Paint

Brilliant Paint, Ever in China Best paint, In vanlei

Wanlei Building Paint CO., LTD

Brilliant Paint, Ever in China Best paint, In vanlei



Brand

- Factory Hard Power
- Company Profile
- Founder
- Corporate Qualification
- Standard Image



Product

- Product Main
- Supply Chain Managementthird
- party Word Of Mouth
- Core Selling Point Refinement



Service

- After-sales Service Support
- Marketing Tools
- Track Layout
- Marketing Scenarios

About Wanlei

- Established in 1991, wanlei building paint co.,ltd is a manufacturer and trader specializing in the research,development and production of quality building paint.
- We are located in Foshan Guangdong, and has a division factory in Guigang ,Guangxi, which covers an area of 30000 sqm with 8 automatic production lines.
- As a manufacturer with 30 years of experience, we have an operation team of 300 people with an annual industrial output value of 1 billion yuan.



Since 1991 · Foshan Guangdong

BEEN DOING PAINT FOR

Wanlei Pain
Started In 1991
Work Hard Only For A Good Wall

30

YEARS

2006-2016

Brand reshaping

In 2006, Wanlei touched the direction of the market, introduced imported formulas, and broke out a great interest in "diatomaceous earth", "art paint" "diatomaceous earth" "real stone paint" "Tripod, gradually from the local to the period of the country, and a higher vision to recreate the brand identity.

1994-1997

Involved stone paint

In 1994, in order to seek profit survival, Wanlei involved in the real stone paint products, for this purpose, the creation of "Xinli" brand, set up the corresponding engineering department.

1991-1994

Brand creation

Wanlei was born in 1991, the brand positioning wallcovering initial involvement in coatings, Wanlei began to gradually independent research and development, debugging products.

2016-2023

Go to the world

In 2016, Wanlei set eyes on the world and established the first "Wanlei Art Paint Museum" in China's paint industry, taking the lead in establishing the milestone of art paint and moving towards "art paint standardization".

1997-2006

Expand development

In 1997, Wanlei shifted its focus to "Art Paint" to expand its product line and diversify its brand.

ONE-STOP WALL PAINT SOLUTION



More than 100 types of
interior and exterior wall paints



Update at least
10 new products per year



Wanlei Paint
In The Name Of Nature

W:Welcome

Welcome to wanlei. For every visitor, we are all greeted with a smile.

A:Absorbed

Specilized in Water base paint for over 30 years, we got more than Thirteen items of National invention patent, in order to make a green Wall .

N:Natural

Material is made from nature, return to the nature, realizes the resources can be recycled.

L:Label

Every piece is marked the label of "Wanlei" on the product, it's the most solemn commitment for quality.

E:Efficiency

We pay attention to the efficiency of work, and also need the shortest time to get the maximum benefit.

I:Innovation


Innovation and wisdom is the most indispensable elements of Wanlei, its spirit should be respected and admired.

Nature

Environmentally Friendly Manufacturing

Wanlei Automatic Product Lines

- Mainly Consisting Of Real Stone Texture Production Line
- Art Paint Productionline
- Powder Diatom Mud Production Line
- Liquid Diatom Mud Production Line
- Emulsion Paint Production Line.





The Ultimate Expression Of Environmental Performance

Environmentally friendly and pollution-free - no dust left behind

Use German equipment certified by EU standards

Meet the emission standard of $10\text{mg}/\text{Nm}^3$, in line with the EU standard

Dust, sewage ecological cycle

0 Emission

0 Pollution

100% recycling, environmentally friendly use, no trouble for health





Production Capacity

The annual production capacity of wanlei equipment is 300000 tons, and we annual industrial output value is 1 billion yuan. we own the 40 tons tank, which can produce the paint cover 120000sqm of buildings.



Independent Production Line

Provide oem, odm, obm service.
We are the domestic oem manufacturer of many famous brands in china.
We can make customized products for you.



R & D Capability

At present, we have over 300 products, 20 new products are developed every year, and we can Customize products according to your needs.

Vanlei sale's team



Strong R&D Capability



8 Fully Automatic Production Lines





Verified

Gold Plus Supplier
Assessment Certificate

Professional 
Production Bases Of Over

30,000 m²

Large warehouse

Raw material storage area, finished goods preparation area, batch clear. Professional control of raw materials, customized products to provide exclusive professional

Batch stock, one order, fast delivery. Regular stock is over 300000 tons.

Vanlei strength



31+ Years

wall paint experience



8

Fully automatic production lines



30000+ sqm

Factory Occupy Area



150+ types

Interior and exterior paints



13+

Technical patents

Gurantee & Quality Promise



ISO 9001 2015



KAKEN Anti-viral test



SGS Factory Certification



Alibaba Verified



French VOC regulation A+ 2011



Biobased Carbon Content



Chinese inventor's patent right





100% independent
invention patent



CHRONOLOGY OF CERTIFICATION SYSTEMS

(2016 - 2020)



- Eco-environmental building materials demonstration unit, Guangdong Quality Inspection Association director unit
- Directing unit of Ecological Environment Building Materials Branch of China Building Materials Federation

2020

2021



- Guangdong High-tech Products
- 315 Quality and Integrity Brand Enterprise

2019

- Top ten brands of diatom mud in China, top ten brands of art paint in China, top ten brands of real stone paint in China
- Directing unit of China Paint Industry Association Art Paint Painting Branch

2018

- 2018 China Outstanding Art Paint Brand
- 2018 SICQ Quality Excellence Award (Shenzhen) + 2016 China Home Industry Environmental Home Leading Brand

2017



- 2017 China Art Paint Famous Brand Award + 2019 China Construction Expo (Shanghai) TOP100 Brand

2016



- France A+ for Art Paint





Global Engineering Cases



Atmosphere Kanifushi
Maldives



PROJECT : BRAC University New Campus - Bangladesh



PROJECT : Lily Beach Resort & Spa - Maldives



PROJECT : The 100th Anniversary of Latvia's National Bank - Latvia



PROJECT : MUJI HOTEL - SHENZHEN



Wanlei Paint: Proud to export worldwide

Wanlei was founded in 1991, as a famous coating company in China, we insist on doing a good job of self-research, self-production and self-marketing as an integrated chain.

Looking at the world, we have long-term and stable partners with more than 20 countries such as Korea, UK, Southeast Asia (Vietnam), etc.



CHINA



SOUTH KOREA



UNITED KINGDOM



BELGIUM



ITALY



FRANCE



USA



VIETNAM



We serve throughout the world and
take a longer-term view



Exhibition

- Many large-scale offline exhibitions, deeply cultivate the domestic brand market.
- In depth partner of Guangzhou Import and export trade fair, 12 years of exhibition experience.



中國造 / 正当潮

— SINCE 1991 —



Join us as our distributor
We can make profit together!



📍 **OUR
SALES SHOP
IN CHINA**

Photoed in 12.30 2020.
Guang xi province.





Huge Product Window


Update at least
10 new products
per year

More than
100 types of
interior and
exterior
wall paints

Main business field

A close-up photograph of a classical architectural pediment with multiple layers of stone moldings, showcasing the Stone paint series.

Stone paint series

A photograph of a textured, reddish-brown wall with a glowing circular light fixture, representing the Grafiato paint series.


Grafiato paint series

A photograph of a wall with a natural, light-colored travertine stone pattern, representing the Travertine series.

Travertine series

A photograph of a dark, textured wall with a small, dark, rounded object, representing the Mamanrino series.

Mamanrino series

A photograph of a wall with a light-colored, textured paint finish, representing the Textured paint series.

Textured paint

A photograph of a wall with a light-colored, textured paint finish, representing the Stucco series.

Stucco series

A photograph of a golden, ornate architectural detail, representing the Gold paint series.

Gold paint series

A photograph of a wall with a blue, textured paint finish, representing the Metal velet series.

Metal velet series

A photograph of a wall with a blue, textured paint finish, representing the Sparkle paint series.

Sparkle paint series

A photograph of a wall with a blue, textured paint finish, representing the Art paint series.

Art paint

A photograph of a wall with a light-colored, textured paint finish, representing the Microcement series.

Microcement series


A photograph of a wall with a dark green, textured paint finish, representing the Acrylic emulsion paint series.

Acrylic emulsion paint

Stone paint series



01 - Granite paint



02 - Stone paint



03 - Spray sand paint
60#



04 - Spray sand paint
80#



05 - Scrap colored sand
paint - cts



06 - Scrap colored sand
paint - kl



Exterior wall coatings



Please scan
View VR panoramic scenes

Granite Paint



Granite Paint

Product Description

Hot-selling material for Exterior wall,replace tiles or other materials.

Coating flexibility is better, does not crack, excellent acid resistance and fouling resistance to make it more stable, style, perfect reduction stone effect.



Information

Weight : 20kg

Coating area : 10m²

Drying time : 4 hours

Brushing layer : 1-3 time

Shelf Life : 12 months

Package : 33*33*37cm

Construction



Key Benefits

A, pure water-based formula, no radiation hazard

B, 3 strong (strong water resistance, strong white resistance, strong weather resistance)

C, 3 no (no Wall invert , no broken point, no flow)

D, 3 high (high fullness, high flexibility, high stone imitation truth)



Exterior wall coatings



Please scan
View VR panoramic scenes

Stone Paint



Stone Paint

Product Description

De professionele Wanlei steenverf (RB type), die Wanlei in de originele niet-weerstand bespuitende formule van China gebruikt, kan in de selectie van steendeeltjes in het gebruik van grof zand zijn: in het bespuitende proces is zeer lage consumptie, kan de oppervlakteuniformiteit meer dan 99.8% bereiken, kan al grof zand op de muur worden geconcentreerd, meer het effect van 3D steen benadrukken.



Wanlei 万磊®

Information

Weight : 25kg/75kg

Coating area : 8m²/24m²

Drying time : 4 hours

Brushing layer : 1 time

Shelf Life : 12 months

Package : 33*33*37cm

Construction



Key Benefits

A, good flexibility, not easy to crack

B, high hardness, rich texture without decolorization

C, rapid restoration of the building's textural style

D, No pollution, no radiation



Exterior wall coatings



Please scan
View VR panoramic scenes

Spray Sand Paint
60#



Spray Sand Paint 60#

Product Description

Inspired by Italy, this outstanding product is widely used in the local buildings of the ancient city of Florence.

With nearly 100 colors to choose from, it has a more eye-catching color scheme and a unique exotic atmosphere.



vanlei万磊®

Information

Weight : 20kg

Brushing layer : 1 time

Coating area : 1-1.5m²/kg

Shelf Life : 36 months

Drying time : 4 hours

Package : 33*33*37cm

Construction




Key Benefits

A, very low loss, wider coverage

B, High hardness, strong alkali resistance

C, no decolorization, safe and non-shedding

D, No resistance to spraying, good flexibility, not easy to crack



Exterior wall coatings



Please scan
View VR panoramic scenes

Spray Sand Paint
80#



Spray Sand Paint 80#

Product Description

Hot-selling material for Exterior wall,replace tiles or other materials.

Coating flexibility is better, does not crack, excellent acid resistance and fouling resistance to make it more stable, style, perfect reduction stone effect.



Information

Weight : 20kg

Coating area : 10sqm

Drying time : 4 hours

Brushing layer : 2 time

Shelf Life : 12 months

Package : 33*33*37cm

Construction



Key Benefits

Selected Raw Materials -

Easy Maintenance -


Outstanding Abrasion Resistance -

Ultra Low VoC -

Rich color -

Excellent Color Gloss Retention -

Superior Decorative Effect -



Exterior wall coatings



Please scan
View VR panoramic scenes

Scrap Colord Sand Paint - Cts

Scrap Colord Sand Paint - Cts

Product Description

The new faience stone is scientifically matched, and the surface will not have a thorny touch.

The sand particles are evenly distributed, dense, full and not barren.



Information

Weight : 25kg	Brushing layer : 1 time
Coating area : 12m ²	Shelf Life : 12 months
Drying time : 4 hours	Package : 33*33*37cm

Construction



Key Benefits

- A, selected certain specifications of all-natural colored rock grains, refined and processed, hard and not easy to wear.
- B. More attention to the natural arrangement of sand grains, not with a tricky feeling.
- C. The fullness of sand and stone is improved without leaving any batch knife marks, saving labor and more material



Interior and exterior walls coatings



Please scan
View VR panoramic scenes

Scrap Colord Sand
Paint-kl



Scrap Colord Sand Paint-kl

Product Description

Hot-selling material for Exterior wall,replace tiles or other materials.

Coating flexibility is better, does not crack, excellent acid resistance and fouling resistance to make it more stable, style, perfect reduction stone effect.



vanlei 万磊®

Information

Weight : 25kg

Coating area : 8-14m²

Drying time : 4 hours

Brushing layer : 1 time

Shelf Life : 12 months

Package : 33*33*37cm

Construction



Key Benefits

Sand texture : with natural color sand and ceramic stone fine sand, sand grain staggered, clear texture

Simple and minimalist : no fancy decoration, restore the simple and minimalist style

Free diy: simple construction, strong plasticity, you can also be a wall art craftsman

Hard texture : strong adhesion is not easy to fall off, high hardness is not cracked

Weather and stain resistant : no fear of sun and rain, the surface does not hang dust, indoor and outdoor can be used

Water-based environmental protection : pure water-based formula, environmental protection, non-toxic and harmless

One material with three performances, showing different charm

Grafiato paint series



01 - Grafiato paint-40#



02 - Grafiato paint-60#



03 - Grafiato paint-70#



Interior and exterior walls coatings



Please scan
View VR panoramic scenes

Grafiato paint
40#



Scrap colored sand paint - CTS

Product Description

Hot-selling material for Exterior wall, replace tiles or other materials.

Coating flexibility is better, does not crack, excellent acid resistance and fouling resistance to make it more stable, style, perfect reduction stone effect.



vanlei 万磊®

Information

Weight : 20kg

Brushing layer : 2 time

Coating area : 2-3kg/m²

Shelf Life : 12 months

Drying time : 4 hours

Package : 33*33*37cm

Construction



Key Benefits

• Three-dimensional texture

highly restored natural stone style, highlighting the texture

• Stable and natural

sandstone particles fused to the wall, introducing the natural atmosphere

• Weather and stain resistance

excellent weather resistance, no fading, alternative to natural stone finishes

• Colorful pattern

with different construction methods, create a variety of effects at will

• Super coverage

thick paste coating covers small cracks on the wall, not easy to peel off



Interior and exterior walls coatings



Please scan
View VR panoramic scenes

Grafiato Paint
60#



Grafiato Paint 60#

Product Description

Hot-selling material for Exterior wall, replace tiles or other materials.

Coating flexibility is better, does not crack, excellent acid resistance and fouling resistance to make it more stable, style, perfect reduction stone effect.



vanlei 万磊®

Information

Weight : 25kg

Brushing layer : 2 time

Coating area : 1.5-2kg/m² Shelf Life : 12 months

Drying time : 4 hours

Package : 33*33*37cm

Construction



Key Benefits

• Three-dimensional texture

highly restored natural stone style, highlighting the texture

• Stable and natural

sandstone particles fused to the wall, introducing the natural atmosphere

• Weather and stain resistance

excellent weather resistance, no fading, alternative to natural stone finishes

• Colorful pattern

with different construction methods, create a variety of effects at will

• Super coverage

thick paste coating covers small cracks on the wall, not easy to peel off



Interior and exterior walls coatings



Please scan
View VR panoramic scenes

Grafiato Paint
70#

Grafiato Paint 40#

Product Description

Mayan Paint selects rock particles as raw materials, so each sand has its unique brilliance.

With its soft and elegant color, Mayan Paint pursues the overall aesthetic feeling, and also highlights the uniqueness of your room.



vanlei 万磊®

Information

Weight : 25kg

Coating area : 15m²

Drying time : 4 hours

Brushing layer : 2 time

Shelf Life : 12 months

Package : 33*33*37cm

Construction



Key Benefits

• Three-dimensional texture

highly restored natural stone style, highlighting the texture

• Stable and natural

sandstone particles fused to the wall, introducing the natural atmosphere

• Weather and stain resistance

excellent weather resistance, no fading, alternative to natural stone finishes


• Colorful pattern

with different construction methods, create a variety of effects at will


• Super coverage

thick paste coating covers small cracks on the wall, not easy to peel off


Travertine series



01 - Readymix Travertino
Medium sand



02 - Travertino-Coarse sand



03 - Travertino- Medium sand



04 - Travertino-fine sand



Interior wall coatings



Please scan
View VR panoramic scenes

**Readymix Travertino -
Medium sand**



Readymix Travertino - Medium Sand

Product Description

Seaweed rice travertine design inspiration from this has a strong classical atmosphere and dignified temperament, its color and texture changes, delicate and rugged in the search for antique and elegant free temperament.

Inorganic formula to create, diatomaceous earth, inorganic silicate as the main component, alkaline formula, color is widely from natural, can be antiseptic sterilization by surface deoxidation from the surface of organic matter, degradation of environmental protection, etc., without adding any anti-mold, preservatives.



Information

- Weight : 25kg
- Brushing layer : 2 time
- Coating area : 2-3kg/m²
- Shelf Life : 12 months
- Drying time : 4 hours
- Package : 33*33*37cm

Construction



Key Benefits

- 1, No additive: zero additive, no formaldehyde, voc volatiles.
- 2, self-cleaning: high hardness, not easy to leave scratches, no oxidation, no discoloration, easy to clean.
- 3, negative ion function: long release of negative oxygen ions of air that have a healthy effect on the human body
- 4, moisture regulation function: can effectively adjust the humidity of indoor air, to ensure that the wall without moisture phenomenon
- 5, Anti-mold and anti-bacterial function: to prevent mildew on the wall and effectively fight against Staphylococcus aureus
- 6, air purification function: indoor formaldehyde, odor and other harmful gases purification rate of 80 %




Interior wall coatings



Please scan
View VR panoramic scenes

Travertino -
Coarse sand



Travertino - Coarse sand

Product Description

Seaweed rice travertine design inspiration from this has a strong classical atmosphere and dignified temperament, its color and texture changes, delicate and rugged in the search for antique and elegant free temperament.

Inorganic formula to create, diatomaceous earth, inorganic silicate as the main component, alkaline formula, color is widely from natural, can be antiseptic sterilization by surface deoxidation from the surface of organic matter, degradation of environmental protection, etc., without adding any anti-mold, preservatives.



Information


- Weight : 20kg
- Brushing layer : 2 time
- Coating area : 2-3kg/m²
- Shelf Life : 12 months
- Drying time : 4 hours
- Package : 40*10*60cm

Construction



Key Benefits

- 1, No additive: zero additive, no formaldehyde, voc volatiles.
- 2, self-cleaning: high hardness, not easy to leave scratches, no oxidation, no discoloration, easy to clean.
- 3, negative ion function: long release of negative oxygen ions of air that have a healthy effect on the human body
- 4, moisture regulation function: can effectively adjust the humidity of indoor air, to ensure that the wall without moisture phenomenon
- 5, Anti-mold and anti-bacterial function: to prevent mildew on the wall and effectively fight against Staphylococcus aureus
- 6, air purification function: indoor formaldehyde, odor and other harmful gases purification rate of 80 %



Interior wall coatings



Please scan
View VR panoramic scenes

Travertino -
Medium sand



Travertino - Medium Sand

Product Description

Seaweed rice travertine design inspiration from this has a strong classical atmosphere and dignified temperament, its color and texture changes, delicate and rugged in the search for antique and elegant free temperament.

Inorganic formula to create, diatomaceous earth, inorganic silicate as the main component, alkaline formula, color is widely from natural, can be antiseptic sterilization by surface deoxidation from the surface of organic matter, degradation of environmental protection, etc., without adding any anti-mold, preservatives.



vanlei 万磊®

Information

Weight : 10kg Brushing layer : 2 time
Drying time : 24 hours Shelf Life : 12 months
Coating area : 2-3.5kg/m² Package : 30*10*48cm
Color rubbing hand wax : 6-8m²/kg

Construction



Key Benefits

1. No additive: zero additive, no formaldehyde, voc volatiles.
- 2, self-cleaning: high hardness, not easy to leave scratches, no oxidation, no discoloration, easy to clean.
- 3, negative ion function: long release of negative oxygen ions of air that have a healthy effect on the human body
- 4, moisture regulation function: can effectively adjust the humidity of indoor air, to ensure that the wall without moisture phenomenon
5. Anti-mold and anti-bacterial function: to prevent mildew on the wall and effectively fight against Staphylococcus aureus
- 6, air purification function: indoor formaldehyde, odor and other harmful gases purification rate of 80 %



Interior and Exterior wall coatings



Please scan
View VR panoramic scenes

Travertino - Fine Sand



Travertino - Fine Sand

Product Description

Wanlei inorganic plaster series, the design of the product is inspired by the ancient Italian city with a strong classical atmosphere.

Selected but not processed natural high-quality inorganic raw materials, combined with inorganic pigments. Natural but not rendered original color, intentional but not deliberate traditional workmanship.

The natural wall art is complemented by the traditional handicraft.



Information

Weight : 20kg

Brushing layer : 2 time

Drying time : 24 hours

Shelf Life : 12 months

Coating area : 2-3kg/m²

Package : 40*10*60cm

Top coat : 8-10m²/kg

Construction




Key Benefits

- ① Good waterproof performance
- ② Fireproof and non-combustible
- ③ High hardness and friction resistance
- ④ Good water absorption
- ⑤ Exterior wall display


Mamanrino series



01 - concrete paint



02 - liquid concrete paint




03 - Mamanrino



Please scan
View VR panoramic scenes

Concrete Paint



Concrete Paint

Product Description

Clear water mix, discarding chemical products such as paint and finish. It is once formed, which is good for environmental protection, reduces a lot of construction waste and helps to protect the environment.

Clear-water mix has a simple, natural and calm, back-to-basics appearance flavor. More and more architects around the world are using clear-water mix process, which they believe is a noble simplicity, seemingly simple, but in fact more artistic than gilded splendor.



Information

Weight : 20kg

Brushing layer : 2 time

Drying time : 24 hours

Shelf Life : 6 months

Coating area :

Package : 40*10*60cm

Flat batch: 1-2kg/m² (1-2 times)

Maintenance solution: 8-10m²/kg

Construction



Key Benefits

Smooth and delicate surface, bright color, mineral raw material composition, material environmental protection and pollution-free



Interior wall coatings



Please scan
View VR panoramic scenes

Liquid Concrete Paint



Liquid Concrete Paint

Product Description

Clear water mix, discarding chemical products such as paint and finish. It is once formed, which is good for environmental protection, reduces a lot of construction waste and helps to protect the environment.

Clear-water mix has a simple, natural and calm, back-to-basics appearance flavor. More and more architects around the world are using clear-water mix process, which they believe is a noble simplicity, seemingly simple, but in fact more artistic than gilded splendor.



Information

- Weight : 20kg
- Brushing layer : 2 time
- Drying time : 24 hours
- Shelf Life : 6 months
- Coating area :
- Package : 40*10*60cm
- Flat batch: 1-2kg/m² (1-2 times)
- Maintenance solution: 8-10m²/kg

Key Benefits

Smooth and delicate surface, bright color, mineral raw material composition, material environmental protection and pollution-free

Construction





玛曼里诺
MAMORINO



Interior and Exterior wall coatings



Please scan
View VR panoramic scenes

Mamanrino



Mamanrino

Product Description

Wanlei inorganic plaster series, the design of the product is inspired by the ancient Italian city with a strong classical atmosphere.

Selected but not processed natural high-quality inorganic raw materials, combined with inorganic pigments. Natural but not rendered original color, intentional but not deliberate traditional workmanship.

The natural wall art is complemented by the traditional handicraft.



Information

Weight : 20kg Brushing layer : 2 time
Coating area : 1-1.2kg/m² Shelf Life : 6 months
Drying time : 24 hours Package : 30*10*48cm

Construction



Key Benefits

- ① Good waterproof performance
- ② Fireproof and non-combustible
- ③ High hardness and friction resistance
- ④ Good water absorption
- ⑤ Exterior wall display



Interior and Exterior wall coatings



Please scan
View VR panoramic scenes

Rammed Earth Paint



Rammed earth paint

Product Description

Rammed earth wall coating new kind of art coating, rammed earth wall coating using silane polymer as binder, fusion of straw knot, through the batch scraping process to achieve a new type of decorative coating products.

Nowadays, modern rammed earth wall coating, with high quality coating formulation process, realize the original style of rammed earth wall, with more texture of modern architecture, more relevant to the contemporary way of building, modern rammed earth wall can be rough, can also be delicate, wall slab curing effect is good, high compressive strength, not easy to produce cracks, good seismic performance is the guarantee of our living safety.



Information

Weight : 20kg
Drying time : 24 hours
Coating area :

Brushing layer : 2-3 time
Shelf Life : 26 months
Package : 40*10*61cm

Coarse sand: 3.5kg/m² (single coat) Medium sand: 4.5kg/m² (two times)
Fine sand: 3kg/m² (two times) Washing extra coarse: 8kg/m² (single)
Rope pattern: 7.5kg/m² (two times)



Construction

Key Benefits

- ①Class A fireproof grade. Class A non-combustible material to meet all kinds of space applications.
- ②High strength adhesion. Better adhesion of rammed earth materials to various substrates.
- ③High weatherability: extremely strong adhesion, crack resistance and water resistance to improve the service life of the coating film
- ④Environmental protection: light weight and energy saving, sound absorption and noise reduction; ecological and environmental protection, with renewable; low energy consumption and no pollution
- ⑤Anti-mold and anti-algae: superior anti-mold and anti-algae performance to avoid the



Interior and Exterior wall coatings



Please scan
View VR panoramic scenes

Straw Paint



Straw paint

Product Description

Straw has been used by primitive humans to keep warm since the primitive society. They gradually figured out the method of using dried straw frames to build straw huts, and these "warm straws" provided a safe guarantee for human life, and at the same time, the warm and comfortable environment also allowed human society to slowly emerge the concept of "home". In 1997, after millions of years of evolution, "Wanlei" pioneered the ecological straw paint, with an intoxicating fragrance, presenting this original rustic style to the world again in the most original way of living.



Information

Weight : 20kg	Brushing layer : 1 time
Coating area : 12m ²	Shelf Life : 12 months
Drying time : 4 hours	Package : 40*10*61cm

Construction



Key Benefits

- A. Good flexibility, not easy to crack, both heat insulation effect.
- B. No seam coating, no harmful substances, waterproof and stain resistant.
- C. Rustic and rugged, refreshing rustic atmosphere.
- D. The most primitive, rustic, warm and pleasant building material.


Stucco series



01 - stucco



02 - venetian plaster



03 - Specular venetian plaster



Interior wall coatings



Please scan
View VR panoramic scenes

Stucco Paint



Stucco paint

Product Description

It is a new type of wall art paint, with a glossy surface like a mirror and a hidden texture, with an excellent 3D sense, so it is very popular in the art paint industry in Europe and America.

With the consistent style of "high quality", Wanlei has improved the formula of RS high-gloss Marais paint, which focuses on improving the glossiness of the product, making it easier to build while having a high-gloss mirror effect, so it is very cost-effective.



Information

Weight : 20kg

Coating area : 30m²

Drying time : 4 hours

Brushing layer : 2 time

Shelf Life : 12 months

Package : 24*24*19cm

Construction



Key Benefits

A.Appearance and texture-The texture is clear and bright, smooth to the touch.

B.Various styles-it can make vintage and European style.

C. Easy maintenance - Waterproof function and anti-mold design.

D. Extraordinary fire resistance-refractory material, no safety hazards

E.Ultra-low VOC-low VOC formula

F. Can be painted over a large area: seamless, subtle color difference



Interior wall coatings



Please scan
View VR panoramic scenes

Venetian Plaster



Venetian plaster

Product Description

Hot-selling material for Exterior wall, replace tiles or other materials.

Coating flexibility is better, does not crack, excellent acid resistance and fouling resistance to make it more stable, style, perfect reduction stone effect.



Vanlei 万磊®

Information

Weight : 20kg

Coating area : 30m²

Drying time : 4 hours

Brushing layer : 2 time

Shelf Life : 12 months

Package : 24*24*19cm

Construction





Key Benefits

A. Clear and distinct texture, smooth hand feeling

B. High-gloss mirror effect, three-dimensional texture

C. No seams, no harmful substances, waterproof and stain resistant



Please scan
View VR panoramic scenes



Interior wall coatings

Specular Venetian Plaster



Specular venetian plaster

Product Description

Venetian mud, it is a new type of wall art coating, the coating surface is as smooth as a mirror, the texture is hidden, and has a very good 3D sense, so it is very popular in Europe and America art coating industry.

Wanlei adheres to the consistent "high quality" style, after the formula improvement of the Venetian mud, focusing on improving the gloss of the product, with a high gloss mirror effect at the same time easier to build, so it is very cost-effective.



Information

Weight : 5kg

Coating area : 10m²

Drying time : 4 hours

Brushing layer : 2 time

Shelf Life : 12 months

Package : 24*24*19cm

Construction



Key Benefits

A. Clear and distinct texture, smooth hand feeling


B. High-gloss mirror effect, three-dimensional texture

C. No seams, no harmful substances, waterproof and stain resistant


Gold paint series



01 - water based gold paint



02 - oil based gold paint




Please scan
View VR panoramic scenes



Interior wall coatings

Gold Paint Series



Gold paint series

Product Description

Metallic paint coatings are usually highly durable, water resistant and abrasion resistant, which makes them very popular in the industrial and construction fields.

Metallic paint coatings are also widely used in interior decoration, where they can be used to create metallic wall coverings, cabinets, doors and other furniture and decorative items.



Information

Weight : 1kg	Brushing layer : 2 time
Coating area : 5m ² /kg	Shelf Life : 12 months
Drying time : 1 hours	Package : 13*13*13cm

Construction



Key Benefits

- 1、Luxurious texture, golden splendor: mostly used in European luxury space decoration, presenting the effect of opulence
- 2、Tough paint film, lasting color: strong adhesion, no oxidation, no fading, strong metallic luster

Metal velet series




01 - Velvet paint-satin



02 - Velvet paint-gloss



03 - Hi-gloss
Velvet paint- batch



04 - Velvet paint- batch



05 - Sand
Velvet paint- batch



Interior wall coatings



Please scan
View VR panoramic scenes

Metal Velet



Velvet paint-satin

Product Description

Metallic velvet paint is a special kind of interior decorative paint with a velvet-like texture.

Its metallic texture makes the wall or other furniture surface appear more high-grade texture, which improves the grade of interior decorations. Metallic velvet paint needs to be coated with primer and applied according to certain methods before construction, otherwise it cannot achieve the expected good effect.

Skilled builders can use metallic velvet paint to create a variety of space forms, such as antique walls, exotic and so on, which is the effect of other coatings can not be achieved.



Information

Weight : 4L

Coating area : 3-4m²/kg

Drying time : 4 hours

Brushing layer : 2-3 time

Shelf Life : 12 months

Package : 24*24*19cm

Construction






Key Benefits

A, solid content is about 50%

B.Pearlescent and elegant, with a unique fluffy texture

C. No seam coating, no harmful substances




Interior wall coatings



Please scan
View VR panoramic scenes

Velvet Paint-gloss



Velvet paint-gloss

Product Description

The metallic velvet [Satin] follows the easy and light rubbing technique of metallic velvet, while we use a sand-free formula to make its surface coverage superior to that of ordinary metallic velvet.

In addition, this satin type metallic velvet pays more attention to the pearlescent effect of the surface, and the overall color is light, so we do not need to worry about the various concerns brought about by the use of dark colors with it.



Information

Weight : 4L

Coating area : 16m²

Drying time : 4 hours

Brushing layer : 2-3 time

Shelf Life : 12 months

Package : 24*24*19cm

Construction



Key Benefits

A, solid content is about 50%

B. Pearlescent and elegant, with a unique fluffy texture

C. No seam coating, no harmful substances



Please scan
View VR panoramic scenes



Interior wall coatings

Hi-gloss Velvet Paint - Batch



Hi-gloss Velvet paint - batch

Product Description

Wanlei TNP velvet designed for healthy home a high-end environmentally friendly products, velvet effect, metallic luster, zero VOC, no formaldehyde. Create a luxurious and elegant fashion room.



vanlei万磊®

Information

Weight : 4L

Brushing layer : 2 time

Coating area : 15-20m²

Shelf Life : 12 months

Drying time : 4 hours

Package : 24*24*19cm

Construction



Key Benefits

A, solid content is about 50%

B.Pearlescent and elegant, with a unique fluffy texture

C. No seam coating, no harmful substances



Please scan
View VR panoramic scenes



Interior wall coatings

Velvet Paint - Batch



Velvet paint - batch

Product Description

It has a beautiful velvet-like effect and is particularly suitable for interior decoration. Use it, will bring you a new chic, elegant and quiet living environment.



vanlei万磊®

Information

Weight : 4L

Brushing layer : 2 time

Coating area : 3-4m²/kg

Shelf Life : 12 months

Drying time : 4 hours

Package : 24*24*19cm

Construction



Key Benefits

A, solid content is about 50%

B. Pearlescent and elegant, with a unique fluffy texture

C. No seam coating, no harmful substances



Interior wall coatings



Please scan
View VR panoramic scenes

Sand
Velvet Paint - Batch



Sand Velvet paint - batch

Product Description

Palace yarn velvet, using Wanlei's newly developed "sinker technology", can make the surface of the two-color effect is more prominent, feel more extreme touch, more elegant and luxurious. Equipped with gold/silver color, the choice is richer, a new aesthetic suede effect, at this moment more distinguished.



vanlei万磊®

Information

Weight : 4L	Brushing layer : 2 time
Coating area : 10-12m ²	Shelf Life : 12 months
Drying time : 4 hours	Package : 24*24*19cm

Construction




Key Benefits

A, clear texture of flowing sand, transparent and soft color

B, pearl luster, two-color texture is stronger

Sparkle paint series



01 - Metallic sparkle paint



02 - Chameleon sparkle paint



03 - Pearlescent sparkle paint



Interior wall coatings



Please scan
View VR panoramic scenes

Metallic Sparkle Paint



Metallic Sparkle Paint

Product Description

Camouflage gold sand is equipped with a higher density sand powder, which improves the phenomenon of blackening of the surface of traditional gold sand.

It can produce pearl-like sparkling luster and change the appearance according to the refraction of light. The pearlescent effect of the surface is more dazzling under the tuning of professional lighting, which helps to enhance the overall



Information



- Weight : 4kg
- Brushing layer : 2 time
- Coating area : 12-16m²
- Shelf Life : 12 months
- Drying time : 4 hours
- Package : 24*24*19cm

Construction



Key Benefits

- A, clear texture of flowing sand, transparent and soft color
- B, pearl luster, two-color texture is stronger



Interior wall coatings



Please scan
View VR panoramic scenes

Chameleon Sparkle Paint



Chameleon Sparkle Paint

Product Description

Illusion gold sand paint is a special kind of paint which contains tiny particles resembling metallic pigments. The size and shape of these particles can be adjusted as needed to produce different visual effects.

Illusion gold sand paint looks very shiny after construction and can present a variety of beautiful colors and patterns. This kind of paint is often used in areas such as interior decoration and car refurbishment to enhance the visual appeal of items.



Information


Weight : 5kg	Brushing layer : 2 time
Coating area : 20m ²	Shelf Life : 12 months
Drying time : 4 hours	Package : 24*24*19cm

Construction



Key Benefits

- A, clear texture of flowing sand, transparent and soft color
- B, pearl luster, two-color texture is stronger



Please scan
View VR panoramic scenes



Interior wall coatings

Pearlescent
sparkle paint



Pearlescent Sparkle Paint

Product Description

"Pearlescent sparkle paint"Equipped with a more dense and concentrated pearl powder, and changing its appearance according to the refraction of light, it helps to enhance the overall brightness of the space.



Information


- Weight : 5kg
- Brushing layer : 2 time
- Drying time : 4 hours
- Shelf Life : 12 months
- Coating area :
- Package : 24*24*19cm
- Scraper 12-15m², brush 20-25m²

Construction



Key Benefits

- A, clear texture of flowing sand, transparent and soft color
- B, pearl luster, two-color texture is stronger




Interior wall coatings



Please scan
View VR panoramic scenes

Cristal Velvet Paint



Cristal Velvet Paint

Product Description

Microcrystalline velvet is a Wanlei subconsciously developed art paint, which inherits the colorful velvet effect of interior art paint, has a high number of scrub resistance, stain resistance interior wall coating, at the same time, we out of chic, it is more distinctive in the creation of visual effects, the use of gradient color, easy construction, combined with



wanlei 万磊®

Information

Weight : 20kg

Coating area : 2-3kg/m²

Drying time : 12 hours

Brushing layer : 2 time

Shelf Life : 12 months

Package : 24*24*19cm

Construction



Key Benefits

Microcement




01 - Metallic sparkle paint



02 - Chameleon sparkle paint



03 - Pearlescent sparkle paint



Interior wall coatings



Please scan
View VR panoramic scenes

Microcement



Microcement

Product Description

Microcement, is a decorative coating consisting of silicate cement, additives and mineral pigments.

It is an inorganic and original product with cement base as the main binder, which meets the modern architectural aesthetics of simple, uncomplicated design. More and more architects around the world are adopting this antique process, which they believe is a noble simplicity that seems simple, but is actually more artistic than gilded splendor.



Information

Weight : 16kg	Brushing layer : 2 time
Coating area : 10-12m ²	Shelf Life : 16 months
Drying time : 6 hours	Package : 31*31*31cm

Construction



Key Benefits

- 360° overall seamless, space is more pure: top surface, wall surface, decent can be used, so that the application space to form a whole, infinite extension of the visual impact
- Pure texture, a variety of style adaptations: provides new ideas for decorative styles, creating a high value living space
- The beauty of wabi-sabi: stable color, high flexibility, and high spatial expressiveness
- Fine texture, thin thickness without cracking: creative play of staircase space transformation, shaped edge treatment, creating a continuous flow of space vision
- Strong resistance to pressure: high hardness, wear resistance and sturdiness without falling off and cracking, compatible with various styles without being affected by materials
- Deletion of complexity, direct coverage: can be attached to epoxy resin, tile, wood (no expansion joints) marble, gypsum board, cement walls and other common materials surface; renovation away from the rubble dust and noise pollution, support direct construction in the old ground
- Waterproof, stain-resistant and flame retardant: kitchen use acid and alkali resistant, stain resistant, resistant to soot corrosion and stain rinsing; bathroom use easy to clean - clean and easy to clean, waterproof, non-slip and anti-mildew, no dead ends do not accumulate dust
- Peace of mind with no additives, no smell: all water-based formula, no odor, indoor painting safety odorless, tends to zero formaldehyde zero VOC; indoor painting odorless, fast renovation without residual odor, odor details are also concerned about




Interior wall coatings



Please scan
View VR panoramic scenes

Chameleon
Sparkle Paint



Chameleon Sparkle Paint

Product Description

One-component microcement, a decorative coating consisting of silicate cement, additives and mineral pigments. It is an inorganic and original product with cement base as the main binder, in line with the modern architectural aesthetics of simplicity and simplicity of design.



Information


Weight : 20kg	Brushing layer : 2 time
Coating area : 20-30m ²	Shelf Life : 12 months
Drying time : 6 hours	Package : 31*31*31cm

Construction



Key Benefits

- 360° overall seamless, space is more pure: top surface, wall surface, decent can be used, so that the application space to form a whole, infinite extension of the visual impact
- Pure texture, a variety of style adaptations: provides new ideas for decorative styles, creating a high value living space
- The beauty of wabi-sabi: stable color, high flexibility, and high spatial expressiveness
- Fine texture, thin thickness without cracking: creative play of staircase space transformation, shaped edge treatment, creating a continuous flow of space vision
- Strong resistance to pressure: high hardness, wear resistance and sturdiness without falling off and cracking, compatible with various styles without being affected by materials
- Deletion of complexity, direct coverage: can be attached to epoxy resin, tile, wood (no expansion joints) marble, gypsum board, cement walls and other common materials surface; renovation away from the rubble dust and noise pollution, support direct construction in the old ground
- Waterproof, stain-resistant and flame retardant: kitchen use acid and alkali resistant, stain resistant, resistant to soot corrosion and stain rinsing; bathroom use easy to clean - clean and easy to clean, waterproof, non-slip and anti-mildew, no dead ends do not accumulate dust
- Peace of mind with no additives, no smell: all water-based formula, no odor, indoor painting safety odorless, tends to zero formaldehyde zero VOC; indoor painting odorless, fast renovation without residual odor, odor details are also concerned about



Please scan
View VR panoramic scenes



Interior wall coatings

Self-leveling
Microcement



Self-leveling Microcement

Product Description

This is a new self-leveling micro-cement, which is a decorative coating composed of silicate cement, additives and mineral pigments.

It is a kind of surface material with only 1mm thickness. It is a new solution of wall and floor in one which is self-researched by the team of Wanlei Micro-cement Senmon Research Society, and the ground will abandon the redundant manual construction sequence and process, which can effectively solve the problems of slow drying time and high labor cost of micro-cement material.



Information

Weight : 12.5kg

Coating area :

Drying time :

Brushing layer :

Shelf Life :

Package :

Construction



Key Benefits

- A. Minimal construction method. Self-levelling form, reducing manual intervention and saving construction cost.
- B. Very high strength. Able to meet the needs of intensive human traffic passage.
- C. High and fast thermal conductivity. The thickness of micro-cement is only 1mm, even if there is floor heating under the old floor, it can still maintain extremely high thermal conductivity. Its extremely strong adhesive performance, wear resistance, even if there is a floor heating system under the old ground can be completely renovated construction, there is no impact on heating.
- D. Effective protection from UV exposure. The micro-cement after finishing the coating keeps stable performance for a long time without changing color.
- E. High flexibility of construction. No matter for newly poured floor or old floor renovation, microcement can be well integrated.
- F. High viscosity and high strength. Microcement can be firmly adsorbed on any surface to avoid hollow drums and peeling.
- G. Multiple space use. Because of its thin thickness and high viscosity, microcement is also suitable to be used as wall material, and it can be said that all spaces in the home can be painted with microcement.



Please scan
View VR panoramic scenes



Interior wall coatings

Acrylic emulsion
paint



Acrylic Emulsion Paint

Product Description

Wanlei natural stone paint is a hot-selling material for Exterior wall, which can replace tiles or other materials.

After spraying on the wall, the effect is very realistic, just like real stone.



Information

Weight : 20kg

Coating area : 100m²

Drying time : 4 hours

Brushing layer : 2 times

Shelf Life : 24 months

Package : 33*33*37cm

Construction



Key Benefits

- Environmental protection: It does not contain harmful substances and is harmless to the environment and human health when used.

- Climate-resistant: very climate-resistant, can resist the sun, wind and rain and other kinds of weather wind and rain.

- Resistant to gloss and color retention: outside keep gloss and color for a long time, not easy to fade and fall off.

- Pollution resistance: good anti-fouling performance, can resist the erosion of oil stains, dust and other pollutants.

- Breathability: It has good breathability, which helps to discharge moisture inside the wall and keep the wall dry.

- Easy construction: easy construction, can be applied by brush, roller and spray gun, etc., high efficiency and fast construction.

- Rich color: rich color, can meet the various color requirements of customers with different needs.



Interior wall coatings



Please scan
View VR panoramic scenes

Exterior Emulsion Paint



Exterior Emulsion Paint

Product Description

Hot-selling material for Exterior wall,replace tiles or other materials.

Coating flexibility is better, does not crack, excellent acid resistance and fouling resistance to make it more stable, style, perfect reduction stone effect.



Information

- Weight : 20kg
- Brushing layer : 2 times
- Coating area : 100m²
- Shelf Life : 24 months
- Drying time : 4 hours
- Package : 33*33*37cm

Construction



Key Benefits

- Environmental protection: It does not contain harmful substances and is harmless to the environment and human health when used.
- Climate-resistant: very climate-resistant, can resist the sun, wind and rain and other kinds of weather wind and rain.
- Resistant to gloss and color retention: outside keep gloss and color for a long time, not easy to fade and fall off.
- Pollution resistance: good anti-fouling performance, can resist the erosion of oil stains, dust and other pollutants.
- Breathability: It has good breathability, which helps to discharge moisture inside the wall and keep the wall dry.
- Easy construction: easy construction, can be applied by brush, roller and spray gun, etc., high efficiency and fast construction.
- Rich color: rich color, can meet the various color requirements of customers with different needs.



Interior wall coatings



Please scan
View VR panoramic scenes

Copper / Rust paint



Copper / Rust Paint

Product Description

The patina shows not only the impact visual effect, but also the thick sense of the times behind the material.

Wanlei copper / rust paint FU type, in a limited period of time to quickly achieve this oxidation effect, into a strong atmosphere of artistic creation, as if touching the vicissitudes of history and the ages.



Information

Weight : 4L Brushing layer : 2 time
Drying time : 12 hours Shelf Life : 12 months
Coating area : Package : 24*24*19cm



Acid-proof primer: 6-8m²/KG Copper/rust paint
FU type: 2-3m²/KG Protective film: 6-8m²/KG

Construction



Key Benefits

- A. Short time to show "rust process"
- B. Metal material, strong metal color
- C. The process is random, the rust can be freely matched



Interior wall coatings



Please scan
View VR panoramic scenes

Rilievo Paint



Rilievo Paint

Product Description

Hot-selling material for Exterior wall,replace tiles or other materials.

Coating flexibility is better, does not crack, excellent acid resistance and fouling resistance to make it more stable, style, perfect reduction stone effect.



Information

- Weight :
- Coating area :
- Drying time :
- Brushing layer :
- Shelf Life :
- Package :

Construction



Key Benefits

vanlei万磊®