

/ Thickness

From Nature
Used for wall surfaces

100%
ROCKCLAY

100% ROCKCLAY

Nature is one of Vanlei's eternal shareholders.
Natural textures are the most beautiful, the most classic
and the most eternal.

We are loyal to the raw materials in nature,
using natural mineral stone powder, and 100% promise that no foreign
organic color paste or additional preservatives are added.



100%
ROCKCLAY

Rockplay Silent
rock formations

The color of the earth

Natural mineral Mold proof and moisture regulating Spatial Texture



Pure natural,
pollution-free

vanlei®

Rockclay Silent Rock Layer



LFX - Base

**Natural liquid stone
Good materials
make it easy to make!**

EN.

Nature is one of Vanlei's eternal shareholders.

Natural textures are the most beautiful, the most classic, and the most eternal.

We are loyal to the raw materials in nature, using natural mineral stone powder, and 100% promise that no foreign organic color paste or additional preservatives are added.



Construction
video





Matte matte texture
not easily dirty and resistant to touch

vanlei®



LFX - M03(100g)



LFX - M01(100g)



LFX - 6274(100g)



LFX - 6273(100g)

It is normal for the color card color to differ slightly from the actual material color



Excellent waterproof and moisture-proof performance
Has good waterproof performance

vanlei®



LFX - M12(100g)



LFX - M10(100g)



LFX - M15(100g)



LFX - M08(100g)

It is normal for the color card color to differ slightly from the actual material color



Super weather resistance,
Suitable for large and high traffic areas



One-step forming No need for further carving skills

It presents deep and rich layers of dark gray and rock texture



EN.

Net Content

20kg

Drying time

Calculated at 25°C and humidity < 60

Surface drying: 2h Recoating interval 12-24h
The styling can be done within 8-12 hours

Interior / exterior Applied

Fire rating

Grade A, non combustible/non flammable

Water addition ratio

20kg main material: 5kg water



LFX - 6281(100g)



LFX - M58(100g)

It is normal for the color card color to differ slightly from the actual material color

100% ROCKCLAY

EN.

Product Overview /	The origin of 'Rockplay' comes from an abstract expression of the structure of natural rock layers. It presents deep and rich layers of dark gray and rock patterns, resembling sedimentary rocks hidden at the bottom of the deep sea. The compression, fracture, and redeposition of rock layers are natural processes that are translated into the language of wall texture. Silent beneath the rock layers, they have rich and exaggerated texture expressions. Liquid stone material makes the wall shine with a soft matte texture, with a rough and structural texture that combines super durability and weather resistance. More importantly, it can be molded in one go without the need for additional carving techniques.
Main ingredients /	Fine marble powder, quartz sand, nano calcium carbonate powder
Tool /	Batch knife - YG114, shovel knife - YG075, steel nail brush - YG134, wool drum - YG090
Color Mixing /	Use natural stone color and inorganic color paste for color matching
Application /	Suitable for use on both interior and exterior walls, the dark grey/dark rock pattern creates a unique and powerful living atmosphere. Suitable for commercial/industrial style/private library/bar/studio.
Matching products /	Vanlei New Universal Intermediate Reinforced Slurry Sand Bottom + Vanlei Rockclay + Vanlei Ultimate matte finish
Coverage rate /	6-7kg/ m ² /1 times



Roll coating new universal intermediate reinforced settling sand bottom transparent once. Dilute 5-10% with water for use.



Adjust the water addition ratio according to the temperature. Scratch the first layer.



Batch once, wait until 70-80% dry. Use a steel nail brush to circle and create natural holes. If it takes a long time to dry, rub and apply. Roller coated with water for softening before rubbing and coating.



Cover layer (recommended to use ultimate matte cover) uniform Roll coating twice (add 10-15% water).

Foshan City Nanhai Wanlei Building Paint Co., Ltd

528234 Wanshi Industry Area, Songgang, Shishan Town, Nanhai District,
Foshan City, Guangdong Province, China
+86-0757-81760676 info@fswanlei.com
vanlei.en.alibaba.com fswanlei.en.alibaba.com

