

Metal velvet Paint

This Metal velvet enhances the feel and texture, with the luster of metal and the texture of velvet, the colour is soft and beautiful, the touch is silky and smooth, and its dynamic gesture is overflowing with elegant mood.

EN

Ingredient
Nano milk, compound inorganic silicate, pearlescent powder, imported velvet powder, pure water

Product Features
A. The solid content of metallic velvet surface is about 50%
B. Pearlescent and elegant, with a unique velvet texture
C. No seam coating, no harmful substances

Scope of Application
High-grade banquet hall, luxury boutiques, high-end villas, hotels, etc.

Matching System
Gold interior white primer + metallic satin RD base

Matching tools:Roller, special sander

Shelf life
12 months (at normal room temperature, avoid direct sunlight, moisture-proof)

Substrate requirements
①Water-resistant putty powder must be used, and the surface is smooth without peeling or powder phenomenon.
② (Slightly) powder:
Roller coating inorganic maintenance solution (water 10-20%) once, 12 hours before construction.

 Packaging: 4L  Reference dosage: 3 - 4 m²/kg



Foshan City Nanhai Wanlei Building Paint Co., Ltd

528234 Wanshi Industry Area, Songgang, Shishan Town, Nanhai District,
Foshan City, Guangdong Province, China
+86-0757-81760676 info@fswanlei.com
vanlei.en.alibaba.com fswanlei.en.alibaba.com



PRODUCT

METAL VELVET PAINT



RE - 260601



Multi-dimensional Spatial Visual Representation

Stable color retention, long-lasting without fading
no color cast, and no loss of luster
Fully compatible with various decoration styles
Suitable for large-scale construction without joints
Not limited to wardrobes or single walls



Metal velvet Paint

Metallic luster fused with satin texture
Easy to create a high-level light luxury style!



Technical parameters	
Material Properties	Solvent-free (water-based)
Dry film thickness	0.2mm
Theoretical coverage	3 - 4m²/kg
Drying time (surface drying)	< 2h (25-27°C)
Drying time (hard)	> 72h (25-27°C)
Coating layer	2-3 times
Shelf life (Interior wall)	> 10 years
Paint color	Multi-color selection
Application method	Wool roller, special polisher
Storage	5-35°C, cool, dry

All use 40 color paste to freely change 120 colors



Vanlei Art Coatings Obtained
French VOC Label A+Certification



Light luxury
Texture

Metallic luster effect



50% suede
Solid content

Luxurious texture
Metallic luster

Velvet touch
Silky smooth

France
A+ certification

sanlei®




METAL VELVET




RE - 001 (10g) RE - 001 (20g) RE - 001 (50g) RE - 002 (10g) RE - 002 (20g) RE - 002 (50g)




RE - 003 (10g) RE - 003 (20g) RE - 003 (50g) RE - 004 (10g) RE - 004 (20g) RE - 004 (50g)



RE - 005 (10g) RE - 005 (20g) RE - 005 (50g) RE - 006 (10g) RE - 006 (20g) RE - 006 (50g)



RE - 007 (10g) RE - 007 (20g) RE - 007 (50g) RE - 008 (10g) RE - 008 (20g) RE - 008 (50g)




RE - 009 (10g) RE - 009 (20g) RE - 009 (50g) RE - 010 (10g) RE - 010 (20g) RE - 010 (50g)

色卡颜色与实际材料颜色有少许差异纯属正常, 请谅解。


Color card color and the actual material color has a little difference is purely normal, please understand.




METAL VELVET




RE - 011 (10g) RE - 011 (20g) RE - 011 (50g) RE - 012 (10g) RE - 012 (20g) RE - 012 (50g)




RE - 013 (10g) RE - 013 (20g) RE - 013 (50g) RE - 014 (10g) RE - 014 (20g) RE - 014 (50g)



RE - 015 (10g) RE - 015 (20g) RE - 015 (50g) RE - 016 (10g) RE - 016 (20g) RE - 016 (50g)



RE - 017 (10g) RE - 017 (20g) RE - 017 (50g) RE - 018 (10g) RE - 018 (20g) RE - 018 (50g)







RE - 019 (10g) RE - 019 (20g) RE - 019 (50g) RE - 020 (10g) RE - 020 (20g) RE - 020 (50g)

色卡颜色与实际材料颜色有少许差异纯属正常, 请谅解。

Color card color and the actual material color has a little difference is purely normal, please understand.



METAL VELVET









					
RE - 021 (10g)	RE - 021 (20g)	RE - 021 (50g)	RE - 022 (10g)	RE - 022 (20g)	RE - 022 (50g)
					
RE - 023 (10g)	RE - 023 (20g)	RE - 023 (50g)	RE - 024 (10g)	RE - 024 (20g)	RE - 024 (50g)
					
RE - 025 (10g)	RE - 025 (20g)	RE - 025 (50g)	RE - 026 (10g)	RE - 026 (20g)	RE - 026 (50g)
					
RE - 027 (10g)	RE - 027 (20g)	RE - 027 (50g)	RE - 028 (10g)	RE - 028 (20g)	RE - 028 (50g)
					
RE - 029 (10g)	RE - 029 (20g)	RE - 029 (50g)	RE - 030 (10g)	RE - 030 (20g)	RE - 030 (50g)

色卡颜色与实际材料颜色有少许差异纯属正常, 请谅解。

Color card color and the actual material color has a little difference is purely normal, please understand.



METAL VELVET

					
RE - 031 (10g)	RE - 031 (20g)	RE - 031 (50g)	RE - 032 (10g)	RE - 032 (20g)	RE - 032 (50g)
					
RE - 033 (10g)	RE - 033 (20g)	RE - 033 (50g)	RE - 034 (10g)	RE - 034 (20g)	RE - 034 (50g)
					
RE - 035 (10g)	RE - 035 (20g)	RE - 035 (50g)	RE - 036 (10g)	RE - 036 (20g)	RE - 036 (50g)
					
RE - 037 (10g)	RE - 037 (20g)	RE - 037 (50g)	RE - 038 (10g)	RE - 038 (20g)	RE - 038 (50g)
					
RE - 039 (10g)	RE - 039 (20g)	RE - 039 (50g)	RE - 040 (10g)	RE - 040 (20g)	RE - 040 (50g)

色卡颜色与实际材料颜色有少许差异纯属正常, 请谅解。

Color card color and the actual material color has a little difference is purely normal, please understand.

Vanlei Art paint Appreciation Manual

Metal velvet Paint

Construction Guide



01

Roller coat gold interior white primer 1-2 times and dry thoroughly.



02

Add a maximum of 20 per cent water
Roller coat once metallic satin, even and impervious to bottom.



03

Roll on a second coat and apply instantly with a velvet sander in a circular motion.



04

Before it dries, use the velvet sander again to press the texture in circles.

Product Applications



- High-end banquet halls
- Luxury boutiques
- High-end villas
- Hotels, etc.

Product Packaging



- Net content : 4kg/barrel
- Painting area : 12-16sqm
- Barrel size : 24*24*19cm

Extended Information

