

CN.

EN.

产品综述 /

万磊习惯于创造新品。全新香云纱*(Sharon Sweeping sand), 甄选优质原材料通过创新技术工艺生产制成, 0异味的纯正无污染嗅觉感官, 纯生态制品,

它能产生珠光般闪耀光泽, 并根据光线的折射改变外观, 表面的珠光效果在专业灯光的调试下更为耀眼。

珠光温润光泽

香云纱(Sharon Sweeping sand)具有专业品质, 是一种耐用、耐磨损, 具有天然珠光的环保涂料, 它拥有双层结构, 弹性柔光工艺。

产品特点 /

它所具备的特点:

- ① 精致触感。天然顺滑, 自然好效果。
- ② 流砂纹理清晰, 色彩通透柔和
- ③ 珍珠光泽, 柔和不刺眼: 有别于平光与亮光, 珍珠光泽特殊质感, 高雅又能增加涂刷的空间感。
- ④ 超级环保: 应用“IPS 新型聚合体合成工艺”的创新性除菌技术。没有溶剂, 不含有毒有害物质, 居室可以即刷即住。

产品净重 /

5 kg / 桶

主要成分 /

100%的丙烯酸树脂、微米级绒毛粉、珠光粉、纳米碳酸钙粉, 纯净水

适用场景 /

- ① 特别适合儿童房、游戏间等小孩或宠物经常使用的空间。
- ② 适用于低人流区域, 室内墙壁和天花板。香云纱(Sharon Sweeping sand)是房间、客厅、餐厅、卧室和天花板的理想选择;

加水比例 /

最高不超过50%的兑水率

配套体系 /

万磊沉浆砂底漆 + 香云纱

Overview /

Vanlei is accustomed to creating new products, Sharon Sweeping sand, selected high quality raw materials through the production of innovative technology, 0 odor, pure pollution-free olfactory sensory, pure ecological products, it can produce pearlescent shine and change the appearance according to the refraction of light.

It can produce pearlescent shine, and according to the refraction of light to change the appearance of the surface of the pearlescent effect in the professional lighting debugging more dazzling.

Pearlescent warm luster

Sharon Sweeping sand with professional quality, is a durable, wear-resistant, environmentally friendly coating with natural pearlescent, it has a double-layer structure, elasticity and soft light process.

Features /

Product feature

- ① Delicate touch. Natural smooth, natural good effect.
- ② Clear sand flow texture, transparent and soft colors
- ③ Pearl luster, soft and not blinding: different from the flat and glossy, pearl luster Special texture, elegant and can increase the sense of space for painting.
- ④ Super environmental protection: the application of "ips new polymer synthesis process" of innovative Super environmental protection: applying the innovative technology of "ips new polymer synthesis process". There is no solvent, does not contain poisonous and harmful substances, the room can be brushed Can be painted and lived in.

Net weight /

5 kg / barrel

Ingredients /

100% acrylic resin, micronized fluff powder, pearlescent powder, nano calcium carbonate powder, pure water

Applicable /

- ① Particularly suitable for children's rooms, playrooms, and other spaces frequently used by children or pets.
- ② Suitable for low-traffic areas, interior walls and ceilings. Sharon Sweeping sand is ideal for rooms, living rooms, dining rooms, bedrooms and ceilings;

Watering ratio /

Up to 50% of the watering ratio

Complementary system /

Vanlei Sinker Sand Primer + Sharon Sweeping sand

万磊建筑涂料有限公司

Foshan City Nanhai Wanlei Building Paint CO., LTD



广东生产基地（代码FS）

广东省佛山市南海区松岗万石工业区

广州分公司

广州市荔湾区羊城装饰材料市场172号

广西生产基地（代码QT）

广西壮族自治区贵港市覃塘区产业园甘化园区

南宁分公司

广西壮族自治区南宁市兴宁区快环建材市场

△ 注意

公司根据产品技术和发展需要, 有权对产品配方进行更新升级, 而不对外另行公布, 请以最新样板册颜色为准, 不便之处, 敬请原谅!

4000-147-187

www.fswanlei.com

PRODUCT

香云纱
Sharon Sweeping sand



XYS


万磊



GOOD COATINGS IN CHINA
SINCE 1991



我們會成為那道
|| 國貨之光 ||



氣風發，準備迎接下一個三十年。」

註定充滿挑戰，「万磊已經三十歲了，我們正意國貨最好的詮釋。國貨的崛起之路註定不平凡，的舶來品。「堅持原創，堅持中國製造」，才是的主旋律。適合國人的，不見得是各種價格虛高在當代，『中國造』正在一步一步成為這個時代


是堅定的「國產支持者」。

矛盾催生新事物，國產與進口之間，万磊從來都

用时间定义好涂料，用技术沉淀中国货。

万磊涂料
「中国造，正当潮」

色彩系统 Colour System



S底 + 060Z(50g×2) XYS + 060Q (50g)

香云纱 / Sharon Sweeping sand

毛刷效果 / Effect by brush



S底 + 042Z(50g×2) XYS + 042Q (50g)

线拍效果 / Effect by line tappers



S底 + 041Z(50g×2) XYS + 041Q (50g)



S底+003Z (50g×2) YYS+003Q (50g)



S底+018Z (50g×2) YYS+018Q (50g)



S底+020Z (50g×2) YYS+020Q (50g)




S底+043Z (50g×2) YYS+043Q (50g)




S底+003S (50g×4) YYS+003Z (50g×2)



S底+018S (50g×4) YYS+018Z (50g×2)



S底+020S (50g×4) YYS+020Z (50g×2)



S底+043S (50g×4) YYS+043Z (50g×2)



精致触感
天然顺滑, 自然好效果

Delicate touch.
Naturally smooth, Naturally
good results



珍珠光泽, 柔和不刺眼

Pearly luster
Soft and non-glare



S底+005Z (50g×2) YYS+005Q (50g)



S底+005S (50g×4) YYS+005Z (50g×2)



S底+045Z (50g×2) YYS+045Q (50g)



S底+045S (50g×4) YYS+045Z (50g×2)



S底+ 049Z (50g×2) YYS+049Q (50g)



S底+049S (50g×4) YYS+049Z (50g×2)



S底+015Z (50g×2) YYS+015Q (50g)



S底+048Z (50g×2) YYS+048Q (50g)



S底+050Z (50g×2) YYS+050Q (50g)



S底+015S (50g×4) YYS+015Z (50g×2)



S底+048S (50g×4) YYS+048Z (50g×2)



S底+050S (50g×4) YYS+050Z (50g×2)



超级环保
创新性除菌技术

Super Eco-friendly
Innovative sterilization



砂纹理清晰
色彩通透柔和

Clear sand texture
Transparent and soft



S底+017Z (50g×2) YYS+017Q (50g)



S底+017S (50g×4) YYS+017Z (50g×2)



S底+019Z (50g×2) YYS+019Q (50g)



S底+019S (50g×4) YYS+019Z (50g×2)

The Best Velvet Feel In Sharon Sweeping Sand


最好的绒感, 在香云纱



S底+046Z (50g×2) YYS+046Q (50g)



S底+061Z (50g×2) YYS+061Q (50g)



S底+023Z (50g×2) YYS+023Q (50g)



S底+007Z (50g×2) YYS+007Q (50g)



S底+047Z (50g×2) YYS+047Q (50g)



S底+004Z (50g×2) YYS+004Q (50g)



S底+001Z (50g×2) YYS+001Q (50g)

CN.

最好的绒感, 在香云纱 /

香云纱俗称苧绸、云纱, 黑色的也称黑胶绸, 是一种用薯蓣的汁水对桑蚕丝织物涂层, 再用含矿物质的河涌塘泥覆盖, 经过太阳暴晒加工而成的纱绸制品, 它源于佛山顺德纺织业独有的高贵丝绸, 手感极佳。

归功于纺织业不断精进与高品质要求, 这种名贵的香云纱, 在涂料里也得到了恰到好处的灵感, 我们辅以一种研磨粒径要求精确至微米的绒毛粉, 将会使得这种名贵、柔软、细腻的材料, 以其优质的特性在墙面中延续。

万磊香云纱拥有极细手感的丝滑绒毛, 与其他品牌不一样的地方在于, 他们能很好的匹配材料的均匀度和细滑度。这种具有岭南徽派特色的万磊香云纱材料, 堪称“冠绝中华”的一绝。

CN.

The best velvet feel /

Sharon Sweeping sand is commonly known as Scandinavian silk, cloud yarn, black, also known as black rubber silk, is a kind of potato scorpion juice on the mulberry silk fabric coating, and then covered with mineral-containing river pond mud, after the sun exposure processed yarn and silk products, which originated from Foshan Shunde textile industry unique noble silk, feel great.

Thanks to the textile industry's continuous refinement and high quality requirements, this valuable scented yarn, in the paint also get the right inspiration, we supplemented with a kind of grinding particle size requirements accurate to the micron fluffy powder, will make this valuable, soft, delicate materials, with its high quality characteristics in the wall continuation.

What makes Vanlei's Fragrance Velvet different from other brands is that they are able to match the uniformity and smoothness of the material. This Vanlei Sharon Sweeping sand with the characteristics of the Lingnan Huizhou school can be regarded as one of the best in China.

Silky Fleece

极细手感的
丝滑绒毛



S底+044Z (50g×2) YYS+044Q (50g)



S底+027Z (50g×2) YYS+027Q (50g)



S底+024Z (50g×2) YYS+024Q (50g)



S底+008Z (50g×2) YYS+008Q (50g)



S底+026Z (50g×2) YYS+026Q (50g)



S底+038Z (50g×2) YYS+038Q (50g)



S底+039Z (50g×2) YYS+039Q (50g)



S底+010Z (50g×2) YYS+010Q (50g)



S底+033Z (50g×2) YYS+033Q (50g)



CN.

一般特征 /

万磊香云纱是一种室内装饰涂层, 由高品质的丙烯酸乳液与精选级绒毛混制而成, 可营造出独特的光影效果。

使用香云纱可以实现创新的色彩和触觉感官, 使环境极为舒适并符合室内装饰最前沿的趋势, 保持高品质的居室环境。

EN.

General Characteristics /

Vanlei Sharon Sweeping sand is an upholstery coating made of high quality acrylic emulsion mixed with select grade fluff to create unique light and shadow effects.

Innovative colors and tactile sensations can be achieved with Sharon Sweeping sand, making the environment extremely comfortable and in line with the most current trends in interior decoration, maintaining a high quality living environment.



技术参数	Technical data		
材料性能	Material Properties	无溶剂(水基)	Solvent-free (water-based)
干膜厚度	Thickness	0.2mm	0.2mm
理论覆盖率	Coating rate	4-5m ² /kg	4-5m ² /kg
干燥时间(表干)	Surface dry	<2h (25-27°C)	<2h (25-27°C)
触干	Touch dry	<4h (25-27°C)	<4h (25-27°C)
干燥时间(硬)	Hard dry	>24h (25-27°C)	>24h (25-27°C)
涂层	Coating layer	2次	2 times
使用寿命	Service life	> 10年	> 10 years
油漆颜色	Color selection	多色选择	Multi-color selection
施工工具	Construction Tools	羊毛辊筒/预调色搅拌机/ 调色托盘/毛刷/线拍器具	Wool roller/pre-color mixer/ Color mixing trays/brushes/line tappers
贮存	Storage conditions	<30°C, 凉爽, 干燥	<30°C, cool, dry

产品特点	Product Features
------	------------------



精致触感。天然顺滑, 自然好效果
/ Delicate touch. Naturally smooth Naturally good results



砂纹理清晰, 色彩通透柔和
/ Clear sand texture, Transparent and soft color



珍珠光泽, 柔和不刺眼
/ Pearly luster, Soft and non-glare



超级环保, 创新性除菌技术
/ Super Eco-friendly, Innovative sterilization technology

施工指南 Construction Guide



01

使用同色万磊沉浆砂底漆, 辊涂两遍(扫刷型加水量为20-25%,点拍型在30-35%以内)

Use the same color Wanlei sinker sand primer, roller coating two times (sweeping brush type adding water for 20-25% point and shoot type within 30-35%)



02

主材经调色, 稀释后, 搅拌均匀

The main ingredient is toned, diluted and mixed well



03

使用羊毛滚筒
辊涂一遍香云纱主材


Using a wool roller
Roller coating of Sharon Sweeping sand



04

扫刷型: 在未干前用毛刷以“人”字手法不规则刷出纹理
点拍型: 未干燥时用线拍器具进行表面点拍

Sweep brush type: Before drying, use the brush to brush out the texture irregularly technique.
Spot tapping: Use a wire tapping device to tap the surface before drying.



05

相隔2-4小时第一道施工干燥后, 重复施工

Repeat after the first coat dries 2-4 hours apart.



06

产品
最终完成效果。

The finalized effect of the product.

参考用量 Coating Rate

4-5
m²/kg

实际覆盖范围将取决于表面的吸收能力和应用方法。

Actual coverage will depend on the absorbency of the surface and the method of application.

颜色配套 Color Ratio



底漆: 5kg 配 100g
Primer: 5kg with 100g



主材: 5kg 配 50g (示例)
Main material: 5kg with 50g (example)

产品包装 Product Packaging



规格/Specification:
5kg/桶(barrel)

尺寸/Size:
22.5*22.5*23.5cm



万磊公众号



小程序



施工教程



VR全景