




灰泥 - 地球的颜色



万磊建筑涂料有限公司

Foshan City Nanhai Wanlei Building Paint CO., LTD



广东生产基地（代码FS）
广东省佛山市南海区松岗万石工业区

广西生产基地（代码QT）
广西壮族自治区贵港市覃塘区产业园甘化园区

广州分公司
广州市荔湾区羊城装饰材料市场172号

南宁分公司
广西壮族自治区南宁市兴宁区快环建材市场

△ 注意

公司根据产品技术和发展需要, 有权对产品配方进行更新升级, 而不对外另行公布, 请以最新样板册颜色为准, 不便之处, 敬请原谅!

4000-147-187 www.fswanlei.com



PRODUCT

灰泥 - 地球的颜色

Clay Plaster



China's Vanlei The World's Brand

中国的万磊/世界的品牌

One-stop Wall Solution Provider

一站式墙面解决方案提供商
最全的装饰涂料类目源头供应商

广东、广西 45亩双源头工厂

Guangdong, Guangxi 45 acres of double
source factory

30年以上内外墙涂料 100%自主研发、生产经验

More than 30 years of experience in
interior and exterior wall coatings, 100%
independent research and development,
production experience

阿里巴巴涂料类目头部商家 全球优质供应商

Alibaba paint category head merchant
Global Quality Supplier

13项高含金量国家级 发明专利认证

13 high content national level
Invention Patent Certification

全球第一家无印良品酒店 官方指定供应商

The world's first MUJI hotel
Official Supplier

《水性艺术涂料行业环保标准》 编制企业

Waterborne Art Paint Industry
Environmental Protection Standard
Preparation Enterprises

拥有法国A+, CMA中国认证, ISO9001认证, 德国TUV, Agbb环保认证, 瑞士SGS, 比利时皇家环保认证

With France A+, CMA China certification, ISO9001 certification, Germany TUV, Agbb
environmental protection certification, Switzerland SGS, Belgium Royal environmental
protection certification.

vanlei万磊®

基料 / BASE MATERIAL

Claywork 砾岩

砾岩 · 地球的颜色 / Claywork · Colors of the Earth

万磊灰泥, 这是一种拥有悠久历史的天然材料。通过柔和而充满活力的色调, 在12世纪的欧洲被广泛应用而闻名。这种精选的天然原料(矿物石灰基饰面), 是长期暴露环境中所取得的自然氧化效果, 地球为我们的原料应用提取了绝佳的创意。

Vanlei stucco, a natural material with a long history. Known through its soft and vibrant tones, it was widely used in Europe in the 12th century. This selected natural raw material (mineral lime-based finish) is a natural oxidizing effect achieved by long-term exposure to the environment, and the earth extracts excellent ideas for the application of our raw materials.

Travertino 页岩石桦奴

Travertino: Effects from the nature

Travertino 是一种天然矿物石灰灰泥。它看上去粗糙, 但触感光滑, 让人想起古罗马的一种装饰材料石灰岩。它凭借其硬度和防潮的特性, 可以应用于室内或室外表面。造以适应当今的设计, 同时又不失传统产品的品质。

Travertino is a natural mineral lime-based plaster. It is rough-looking, but smooth to the touch, which is reminiscent of the antique Roman travertine. With its characteristics of hardness and moisture resistance, it can be applied on interior or exterior surfaces.

Loulan 楼兰一梦

楼兰古镇, 重现地球珍藏的古貌。而得益于此被命名的石膏, “楼兰一梦” Loulan Plaster, 正是这一种具有天然矿物属性的石灰灰泥。这种石膏灰泥涂料不仅呈现出天然石材细腻质感, 同时拥有光滑的触感。历经沧桑, 却只得“南柯一梦”。楼兰一梦, 得名于此。

The ancient town of Loulan is a reminder of the earth's treasures. And thanks to this named plaster, "Loulan Dream" Loulan Plaster, is a lime plaster with natural mineral properties. This gypsum plaster not only has the delicate texture of natural stone, but is also smooth to the touch. Throughout the vicissitudes of life, but only "Nanke a dream". Loulan dream, named after this.

LimeClay Weathering

莱姆风化石 · 时间的沉淀
LimeClay Weathering · running from time

需要大量的时间沉淀出来这种效果。自然但不渲染的原始色泽, 用心但不刻意的传统工法。辅以传统的手工匠艺而成的天然墙面艺术。天然材料 + 传统工法, 充分的展现不同的装饰风格, 体现不同的品味诉求。

It takes a lot of time to develop this effects. The original color is natural but not exaggerated, and the traditional construction method is careful but not deliberate. Natural wall art complemented by traditional craftsmanship. Natural materials + traditional construction methods fully demonstrate different decorative styles and reflect different taste demands.

Domino plaster 多米诺灰泥

传统的意大利外墙粗糙石膏 Domino plaster 多米诺灰泥是一种传统的意大利石灰灰泥, 以其均匀的纹理外观和柔和的明暗效果营造出温暖、诱人的氛围。适用于内墙, 是天然防霉且高度透气的选择。

Traditional Italian exterior rough plaster Domino plaster Domino plaster is a traditional Italian lime plaster that creates a warm, inviting atmosphere with its evenly textured appearance and soft light and dark effects. Suitable for interior walls, it is a naturally mildew-resistant and highly breathable option.



砾岩 · 地球的颜色


万磊灰泥，这是一种拥有悠久历史的天然材料。通过柔和而充满活力的色调，在12世纪的欧洲被广泛应用而闻名。这种精选的天然原料（矿物石灰基饰面），是长期暴露在环境中所取得的自然氧化效果，地球为我们的原料应用提取了绝佳的创意。

Claywork · Colors of the Earth


Vanlei stucco, a natural material with a long history. Known through its soft and vibrant tones, it was widely used in Europe in the 12th century. This selected natural raw material (mineral lime-based finish) is a natural oxidizing effect achieved by long-term exposure to the environment, and the earth extracts excellent ideas for the application of our raw materials.



砾岩 · 地球的颜色 Claywork
Colors of the Earth



ULY - M06 (100g)




ULY - M03 (100g)




ULY - M01 (100g)



ULY - M17 (100g)



ULY - M21 (100g)



ULY - M13 (100g)




ULY - M20 (100g)



ULY - M12 (100g)




ULY - M31 (100g)



ULY - M41 (100g)



ULY - M51 (100g)



ULY - M55 (100g)



ULY - M24 (100g)



ULY - M10 (100g)



ULY - M18 (100g)




ULY - M57 (100g)



ULY - M59 (100g)



ULY - M45 (100g)




ULY - M35 (100g)




ULY - M32 (100g)




ULY - M50 (100g)




ULY - M58 (100g)



ULY - M42 (100g)



ULY - 6220 (100g)




ULY - M52 (100g)




ULY - M27 (100g)



ULY - M38 (100g)



ULY - M60 (100g)



ULY - M53 (100g)



ULY - 6219 (100g)

注意：色卡颜色与实际材料颜色有少许差异纯属正常，请谅解。

Note: The color card color and the actual material color has a little difference is normal, please understand.

注意：色卡颜色与实际材料颜色有少许差异纯属正常，请谅解。

Note: The color card color and the actual material color has a little difference is normal, please understand.

Travertino With A Strong Classical Atmosphere

页岩石桦奴



注水量
Water Added

20 : 7-8



保质期
Shelf Life

6 months



参考用量 (kg/m²)
Reference Dosage

1.6-1.8

vanlei万磊®

页岩石桦奴 / Travertino



USN - M17 (100g)

页岩石桦奴 - 白驹




USN - M41 (100g)

页岩石桦奴 - 朝露




USN - M57 (100g)

页岩石桦奴 - 流觞



USN - M58 (100g)

页岩石桦奴 - 觥筹



USN - M60 (100g)

页岩石桦奴 - 荏苒

注意：色卡颜色与实际材料颜色有少许差异纯属正常，请谅解。

Note: The color card color and the actual material color has a little difference is normal, please understand.

Dreams of the Ancient Land of Loulan

楼兰一梦



注水量
Water Added

20:7-8



参考用量 (kg/m²)
Reference Dosage

1.8-2.0



保质期
Shelf Life

6 months

vanlei万磊®

楼兰一梦 / Loulan

Loulan, a historical treasure in the desert

沙漠中的瑰宝



ULM - 6210 (100g)




ULM - M15 (100g)



ULM - M22 (100g)



ULM - M08 (100g)



ULM - M29 (100g)



ULM - M40 (100g)



ULM - M23 (100g)



ULM - 6205 (100g)



ULM - 6211 (100g)



ULM - 6203 (100g)

注意：色卡颜色与实际材料颜色有少许差异纯属正常，请谅解。

Note: The color card color and the actual material color has a little difference is normal, please understand.

Limeclay Weathering Running From Time

莱姆风化石 · 时间的沉淀

	注水量 Water Added		20 : 6-7
	保质期 Shelf Life		6 months
	参考用量 (kg/m ²) Reference Dosage		2.2-2.5



不褪色

100% 紫外线和颜色稳定

100% UV And Colour Stable
Will Not Fade



灰泥特质

天然，硬度很高

Qualities
Mortar Qualities,natural, Very Hard



无污染

可用水冲洗，不污染地下水

Non-polluting
Can Be Flushed With Water And Does Not
Pollute Groundwater



天然抗菌

不含任何杀菌剂或防腐剂

Naturally Antimicrobial
Contains No Fungicides Or Preservatives



完全渗透/透气

所有砖石结构的湿度调节

Fully Permeable/breathable
Moisture Conditioning For All Masonry
Structures



不易起泡或剥落

可在潮湿的表面上进行涂刷

Does Not Blister Or Flake
Can Be Applied On Wet Surfaces



墙面适用

用于新表面或先前粉刷过的墙壁

Suitable For Walls
For New Surfaces Or Previously Painted Walls



无公害材料

不含溶剂且挥发性有机化合物为零

Harmless Material
Solvent Free And Zero Vocs

vanlei万磊®

莱姆风化石 / Lyme Weatherstone

Natural Materials + Traditional Construction Methods

天然材料 + 传统工法



ULS - base 白色基料



ULS - M18 (100g)



ULS - M50 (100g)




ULS - M38 (100g)



ULS - M58 (100g)



ULS - M57 (100g)



ULS - M60 (100g)

注意：色卡颜色与实际材料颜色有少许差异纯属正常，请谅解。


Note: The color card color and the actual material color has a little difference is normal, please understand.

Traditional Italian Exterior rough Domino plaster

多米诺灰泥
传统的意大利石灰灰泥

Clay and lime
It will keep
the humidity balance
of the house.

黏土和石灰
可以保持房屋的湿度平衡。



UDN - 6198 (100g) 多米诺灰泥



注水量
Water Added

20:7-8



保质期
Shelf Life

6 months



参考用量 (kg/m²)
Reference Dosage

1.2-1.5

注意：色卡颜色与实际材料颜色有少许差异纯属正常，请谅解。

Traditiona
Italian lime plaster



MMZ 中砂基料 + DMJ + M60 (100g) 玛曼奴 - 普尔曼

Note: The color card color and the actual material color has a little difference is normal, please understand.



灰泥 · 地球的颜色 / Clay Plaster

万磊灰泥，这是一种拥有悠久历史的天然材料。通过柔和而充满活力的色调，在12世纪的欧洲被广泛应用而闻名。这种精选的天然原料（矿物石灰基饰面），赋予了万磊灰泥极高的生态价值：湿度的分散天然的避免了霉菌和细菌的生长，无需额外使用化学添加剂。它是长期暴露环境中所取得的自然氧化效果，地球为我们的原料应用提取了绝佳的创意。

100%非合成涂料：

作为一种历史悠久的墙面材料，100%纯天然，零VOC，零污染，节能控温。在天然黏土面前，任何现代的涂料，合成材料都黯然失色。

Vanlei plaster, a natural material with a long history. It is known for its soft and vibrant colours, which were widely used in Europe in the 12th century. This selected natural raw material (mineral lime-based finishes) gives Vanlei Plaster its high ecological value: the dispersion of moisture naturally avoids the growth of mould and bacteria, without the need for additional chemical additives. It is the natural oxidising effect achieved by long-term exposure to the environment, the earth extracts excellent ideas for the application of our raw materials.

100% non-synthetic paint:

As a historical wall covering material, it is 100% natural, zero VOC, zero pollution, energy saving and temperature control. In front of natural clay, any modern paint, synthetic materials are eclipsed.

净重 / Net weight



产品净重 / Net weight : ± 20kg

包装方式 / Packaging : 袋装 / Bag

适用范围 / Application

适用于室内墙壁和天花板，它没有接缝，便于清洁和维护。

Suitable for indoor walls and ceilings, it has no joints and is easy to clean and maintain.

❗ 一般情况下不可用于外墙。
Generally not to be used on exterior walls.

施工工具 / Construction tools



批刀 / Batch knife



辊筒 / Roller



砂纸 / Sandpaper

它所具备的特点 / Product feature



用于新表面或先前粉刷过的墙壁
For use on new surfaces or previously painted walls



无公害材料 - 不含溶剂且挥发性有机化合物为零
Harmless material - solvent free and zero VOCs



用水冲洗——不污染地下水，对化粪池系统安全
Flush with water - does not contaminate groundwater and is safe for septic systems



天然抗菌 - 不含任何杀菌剂或防腐剂
Naturally antimicrobial - contains no fungicides or preservatives



完全渗透/透气 - 所有砖石结构的湿度调节
Fully permeable/breathable - moisture conditioning for all masonry structures



在潮湿的表面上进行涂刷，无需担心起泡或剥落
Apply on wet surfaces without fear of blistering or flaking



100% 紫外线和颜色稳定 - 不褪色
100% UV and colour stable - will not fade



灰泥特质，天然，硬度很高
Mortar qualities, natural, very hard

选用的灰泥色系 / Selected stucco color system

灰泥涂料，制作过程中不添加任何人工合成色彩或有机色素，色系都是来源于地球天然矿物质的赭石（无机）色系。

Stucco paint, the production process does not add any synthetic colors or organic pigments, the color system are derived from the earth's natural minerals ochre (inorganic) color system.

配套顺序/建议： / Matching order/recommendation


①: 使用万磊无痕罩面，可以在内墙实现更高的保护性能。

②: 万磊无痕罩面漆必须在灰泥（Clay Plaster）完全干燥后使用，在稳定的天气条件（温度约25°C，湿度≤60%），基材的PH值12以下时使用。

①: With Vanlei No Trace Overlay, higher protection performance can be realized on interior walls.

②: Vanlei No Trace Overlay must be applied after the plaster (Clay Plaster) is completely dry, in stable weather conditions (temperature about 25°C, humidity ≤ 60%), and when the substrate has a pH value of 12 or less.

配套顺序/建议： / Matching order/recommendation



万磊底漆
Vanlei Primer

+



灰泥材料
Clay Plaster

+



无痕罩面
Non-marking
Overcoat

色浆混合说明 / Color paste mixing instructions



+

100g

/

500g

按一包主材20kg计算，加入100g/500g色浆（根据颜色的深浅确定色浆配比量）

For 20kg of main material, add 100g/500g of color paste according to the proportion of color shades.

施工步骤 / Construction steps

01



辊涂万磊砂浆砂底漆
Roller Coating Vanlei Sinkersand Primer

02



用不锈钢批刀涂抹一层万磊灰泥主材。
Use stainless steel batch knife to apply a layer of Vanlei stucco main material.

03



打磨表面至平整，并清除灰尘。
Sand the surface to level and remove dust.

04



表面完全干燥后，用不锈钢抹子涂第二遍灰泥主材。在它变干之前，用不锈钢批刀收光并处理表面
After the surface is completely dry, apply a second coat of stucco main material with a stainless steel trowel. Before it dries, finish the surface with a stainless steel trowel.

05



罩面层（见配套建议），均匀辊涂两遍
Cover coat (see matching suggestions), rolled evenly two times



精品灰泥 常见问题 / Plaster FAQ

① 灰泥一般的硬度是多少？

2h。尽管厚度较小（最厚为2mm），这种材料的特性之一就是硬度较高。

What is the general hardness of stucco?

2h. One of the characteristics of this material is its hardness, despite its small thickness (up to 2mm).

② 何种表面可以施工灰泥主材？

灰泥可应用于几乎任何墙面基层，水泥砂浆、水磨石、石膏板或石膏。也可以在室内垂直或水平的表面上进行铺层。表面应该干燥、无灰尘和油脂。

What kind of surfaces can be used for plastering?

Stucco can be applied to almost any wall substrate, cement mortar, terrazzo, slate plaster or gypsum. It can also be layered over interior vertical or horizontal surfaces. The surface should be dry and free of dust and grease.

③ 灰泥的一般保存期与基面适配问题

一般情况下，万磊灰泥（Marmorino）的主材保存期限为6个月。由于材料拥有石灰特性，保存期限没有特别说明的话，不会延长，并仅能适配与内墙已经抹灰的墙面，或符合涂装要求的墙面基层。

General preservation period of mortar and the problem of substrate suitability

In general, the shelf life of the main material of Marmorino is 6 months. Due to the lime properties of the material, the shelf life will not be extended unless otherwise specified, and it is only suitable for plastered interior walls or wall substrates that meet the requirements for painting.

⑤ 为什么是“地球的颜色”？

正如我们一如既往的支持环保事业。目前全系列灰泥材料，均使用赭石颜料，亦即无机矿物颜料。他们都取自大自然拥有的颜色，与传统合成涂料不同，万磊天然灰泥系列（砾岩，页岩，石桦奴，楼兰一梦，莱姆凤化石，多米诺灰泥）中不添加任何人工合成色彩或有机色素，所有颜色均为天然黏土自然的颜色。

另外，作为一种最古老的大众建筑材料，在所有纬度地区的土制建筑都可以看到黏土灰泥的痕迹。它是从天然采石场中提取的生物黏土，是一种黏土涂层组成的，具有颜值高，100%纯天然，零VOC，零污染，节能控温。

在灰泥（Stucco）面前，任何现代的涂料，合成材料都黯然失色。

Why "Colors of the Earth"?

Just as we have always supported the cause of environmental protection. All of our current stucco materials use ochre pigments, which are inorganic mineral pigments. Unlike traditional synthetic paints, there are no synthetic colors or organic pigments added to Vanlei's natural stucco series (Conglomerate, Shale Birch Nu, Loulan Dream, Lime Weathered Stone, Domino Stucco), and all the colors are the natural color of the clay.

In addition, as one of the oldest popular building materials, traces of clay stucco can be seen in earthen buildings in all latitudes. It is a bioclay extracted from natural quarries and is a clay coating composition with high color value, 100% natural, zero VOC, zero pollution, energy saving and temperature control.

In front of the stucco (Stucco), any modern paint, synthetic materials are eclipsed.

认证 / Accreditation

