Metal Velvet



Metal Velvet

This Metal Velvet enhances the feel and texture. It has metallic luster and suede texture. The color is soft and beautiful, and the touch is silky and smooth. Its agile posture is full of elegant sentiment.



01.*Main Ingredients*

Nanoemulsion, composite inorganic silicate, pearl powder, imported velvet powder, purified water

02.*Product Features*

A. The solid content of pure metal suede is about 50%

B. Pearly and elegant, with a unique fluffy texture

C. Seamless coating, no harmful substances

03. *Scope of application*

❌ Exterior walls are not applicable.

✅ Suitable for interior walls. High-end banquet halls, luxury boutiques, high-end villas, hotels, etc.

04. *Complementary system*





✅ Metal Velvet

✅ Primer

05. *Technical parameters*

Material Properties	Solvent-free （water-based）
Dry film thickness	0.1-0.2mm
Drying time （surface drying）	2h<(25-27°C)

Drying time （hard）	>72h(25-27°C)
Coating layer	2 times
Service life	> 10 years
Storage	Multicolour >
Paint color	5-35°C， cool， dry
Net Weight	4kg
Package	
Package Size	20*20*19cm

✅ ***Reference Dosage***：3-4㎡/kg

✅ ***Tools***：wool roller、special polisher





✅ wool roller ✅ special polisher

06.*Substrate requirements*

① Water-resistant putty powder must be used, and the surface is smooth without falling off or falling off.

② (Slight) When the powder falls: Roller coat inorganic curing solution (10-20% with water) once, and then apply after 12 hours.

07.*Construction method*

Online Construction Video ➤



01.Roller coat Primer 1-2 times and dry thoroughly



02.Roll the Metal Velvet once, evenly and not through the bottom



03.Roller coating Metal Velvet for the second time



04.Use a special sander to transfer the coating in circles



05.Roll Metal Velvet again



06.Spin again with a sander in circular motions

08.*Shelf life*

12 months in a dry state at room temperature (at the time of original shipment)

09.*Implementation Standard*

GB 18582-2020 Limit of harmful substances of architectural wall coatings

10. *Environmental commitment*

This product does not add any heavy metals and other harmful substances, does not exceed the latest national standards for the limit of harmful substances in interior decoration materials, and is fully in line with the technical requirements of China's environmental products.

---

11. *Precautions*

1、Read the construction instructions of the package before use to get reliable and satisfactory painting effect.

2、Please effectively separate, cover and shield the area of wood products and walls.

3、Temperature lower than 10 °C, relative humidity greater than 80 % can not be constructed.

4、Colour difference may exist between different batches of the same model.

---

12. *Technical support*

For assistance, please consult Wanlei (0757-81760676).

WeChat Official Account

WeChat mini program